G. R. S. IX-5]

Previous references.

File No. 56-18

1918.

Serial Nos. ~~15~~ 22-A

(Med C.)

Later references.
~~Med~~ 56-18(37,38)
n - ~~do~~ 26,27.

P

GENERAL AND REVENUE SECRETARIAT.

Serial Nos: One.

Part B for ✓ October 1918.

SUBJECT.

Facilities during the Influenza epidemic at the burial & cremation grounds in Bangalore ~~& Mysore Cities~~

8(15)

To. The Director of Civil Supplies & Commerce
The Presidt. Bangalore City, Cant.
The Chief Engineer. Council
The Surg. Comrs.
The Dy. Comrs. Bangalore.

No. Cr. 7663-7 Dt 26/10/18.

Directs that all the facilities required should be afforded forthwith by the depts. concerned.

WD 233—GPB—20,000—14-6-20

G. R. S. III—1] 1918

GENERAL AND REVENUE SECRETARIAT.

(Med C.)

NOTES.

File No. 56-18

FILE HEADING.

Facilities during the Influenza epidemic at the Burial & Cremation Grounds Bangalore & ~~Suppura~~ City

From

No.	Dated	Received

Diary No.	Enclos.	Spare Copies.	Serial No.

BRIEF ABSTRACT OF LETTER.

NOTES AND ORDERS.

NOTES—First Sheet.

Influenza

G. R. S. III-2]

General and Revenue Secretariat. | File No. of 191

G 5749

Serial No.

Letter no dn 12467 d 30/10/18 from the Chief Engineer. states that extra water taps were given ~~on the 29/10~~ at the cremation & burial grounds & water supply & sanitaries were put up for the Influenza Hospital in the Municipal Gardens, Bangalore City.

Subd for information

Dy Secy
1/11

B

U/c.

NOTE—Contn. sheet.

WD A 1789—GPB—60,000—20-8-18—S.

G. R. S. III-2] — GPB—60,CCC—1-12-16—S

General and Revenue Secretariat.

Burial & cremation grounds in Bangalore and Mysore cities

File No. of 191 .

Serial No.

G 7663-7 dt 25/10/18
Secs 5-8-18-15

Ct 4-4

Receive the following advice

LS 10

Recd on 25/9 Secs 56-18-15.

[illegible] under Land Act [illegible] regd under the rules [illegible] Burial [illegible] which a Service matter for report whether [illegible] Special Secretariat Rules [illegible] Secretariat [illegible] Govt should be fully [illegible] be afforded [illegible] the Dept. Concerned [illegible] death [illegible] Secretariat Concerned [illegible] the Deputy Com [illegible] facilities [illegible] other [illegible]

NOTE—Contn. sheet.

DIARY No.....

10 -10

SECTION: Med

" 58-18

" SPECIAL No. 2217

Mysore Public Works Department,

Central Office,

No. M.12467

1353

Dated Bangalore, 30th October 1918

From

S. Cadambi, Esq.,

Chief Engineer of Mysore,

Bangalore.

To

C.S.Balasundaram Iyer, Esq., B.A.,

Chief Secretary to the Government of Mysore,

Bangalore.

Sir,

With reference to paragraph 3 of G.O.No.G.7663-7/Med 58-18 -15 dated the 25th October 1918, I have the honour to state that the Superintending Engineer, Southern Circle, has reported that extra water taps were given on the 29th instant at the cremation and burial grounds and water supply fountains were also put up for the use of the Influenza Hospital opened in the Municipal garden, Bangalore City.

I have the honour to be,

Sir,

Your most obedient servant

For Chief Engineer of Mysore.

J.R